

NVIDIA Quantum CS8500 Modular Switches Series

Increase Data Center Availability with 200G InfiniBand Smart Switches.



Today's rapid data growth, real-time data processing, and mission-critical application environments fuel demand for faster, more efficient interconnect solutions. The high-density NVIDIA Quantum CS8500 switch provides up to 800 ports of 200 gigabits per second (Gb/s) InfiniBand connectivity, enabling high throughput, availability, and scalability.

The Era of Data-Driven Computing

Complex research demands the ultra-fast processing of high-resolution simulations, extreme-size datasets, and complex, highly parallelized algorithms that need to exchange information in real time. The CS8500 provides a high-performance fabric solution in a 29U form factor, delivering 320 terabits per second (Tb/s) of full bi-directional bandwidth with ultra-low port latency. CS8500 switches create extremely high scalability for large data aggregation, with the highest application performance of complex computations while data moves through the data center network.

The NVIDIA® Scalable Hierarchical Aggregation and Reduction Protocol (SHARP)™ technology takes advantage of all active data center devices to accelerate the communications frameworks, resulting in an order-of-magnitude improvement in application performance. Enabling efficient computing, the CS8500 leverages such features as adaptive routing, congestion control, and quality of service, ensuring the maximum effective network bandwidth by eliminating a variety of congestion hot spots.

World-Class Design

The modular CS8500 chassis switch is designed for performance, serviceability, energy efficiency, and high availability. Providing an excellent price-performance ratio for medium- to extremely large-size clusters, the CS8500 features the reliability and manageability expected from a modular-class switch. The leaf blades, spine blades, management modules, power supplies, and fan units are all hot-swappable to help eliminate downtime.

As an eco-friendly solution, the CS8500 is cooled solely by a liquid closed loop to enable a low noise level and reduce infrastructure opex. It arrives with a liquid-to-air heat exchanger (AHX) data unit. Quantum 200Gb/s switches are backwards compatible with previous generations and include extensive software ecosystem support.



System Specifications

Performance

- > 800 200Gb/s ports
- > 1,600 100Gb/s ports (200Gb/s split-port mode)

Switch Radix

 320Tb/s aggregate switch throughput

Connectors and Cabling

- > QSFP56 connectors
- Passive copper / active fiber cables
- > Optical modules

Cooling

> Liquid-to-air AHX

Management Modules

- Two available (one required for operation)
- > SSH, Telnet, Web, SNMP, and XML

Fabric Management

- On-board subnet manager supports fabrics with 2,000 nodes
- > UFM agent

CPU

> X86 ComEx Broadwell CPU

Streamlining Network Design and Topologies

By implementing NVIDIA port-split technology, the CS8500 switch provides a double-density radix for 100Gb/s data speeds, reducing the cost of network design and network topologies. Supporting up to 1,600 100Gb/s ports, CS8500 is an ultra-dense chassis switch perfect for medium-to-large deployments that require lower power, latency, and space.

Collective Communication Acceleration

The NVIDIA Quantum switch improves the performance of selected collective operations by processing data as it traverses the network, eliminating the need to send data multiple times between endpoints. It also supports the aggregation of large data vectors at wire speed to enable Message Passing Interface (MPI) large vector reduction operations, which are crucial for machine learning applications.

Enhanced Management

The CS8500 switch comes with NVIDIA MLNX-OS chassis management software. It delivers a complete and familiar chassis management experience, including configuration and monitoring of power supplies, fans, and ports. It also ensures interoperability with the previous generation of NVIDIA InfiniBand switch systems. MLNX-OS supports full chassis management through a command-line interface (CLI), a web-based user (WebUI), Simple Network Management Protocol (SNMP), or JavaScript Object Notation (JSON) interfaces.

For best-in-class data center networking management, including for the CS8500, the advanced NVIDIA Unified Fabric Manager (UFM®) platform combines enhanced, real-time network telemetry with Al-powered cyber intelligence and analytics.

Software

> MLNX-OS

System Weight

> 910kg for full AHX-based configuration

System Dimensions (HxDXW)

> 1,289mm x 770mm x 483mm

EMB (Emissions)

> CE, FCC, VCCI, ICES, RCM

Operating Conditions

- Temperature:
 Operating: 0°-40°C;
 Non-operating: -40°-70°C
- > Humidity: Operating 10%–85% non-condensing
- > Altitude: 0°-40°C

Product Safety Compliant/Certified

> RoHS-compliant, CB, cTUVus, CE, CU

Ordering Information

Orderable Part Number (OPN)	Description
MCS8500	320Tb/s, 800 200Gb/s ports, InfiniBand chassis, includes 9 power supply units (N+1) with support for up to 16 power supply units (N+N) $^{\circ}$
AHX-22KW	350MM - MCS85xx director systems liquid-to-air heat exchanger
MTDF-LIQ-B	Modular chassis 19 liters PG25 Coolant
MTDF-LIQ-C	MCS85xx director chassis Y pipe splitter for redundant cooling system connection
MTDF-LIQ-A	MCS85xx director chassis water cooling set
GPS-CS8500-OST	NVIDIA CS8500 200Gb/s chassis installation including onsite rack and water cooling system—price per chassis. Includes one on-site visit
MQM8510-H	NVIDIA Quantum 200Gb/s InfiniBand leaf blade, 40 QSFP56 ports
MQM8520-H	NVIDIA Quantum 200Gb/s InfiniBand spine blade, 40 ports
MMB8500	X86 dual-core chassis management module

Ready to Get Started?

To learn more about NVIDIA Quantum InfiniBand, visit: www.nvidia.com/en-us/networking/infiniband-switching

